

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
From: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
Sent: Wed 9/23/2020 2:54:25 PM (UTC)
Subject: RE: Shiloh Church ARF for review
Shiloh ARF Aq Sept 2020.pdf

Good Morning Chris,

I am not able to change the division as requested below as it is not in the drop down options (you can see what the options are in there, not sure if there is something in there that would be a better fit, please let me know). I can also add it into the instruction box on the bottom if you would prefer.

I entered “No” for new site.

Although Hg is a metal, it is not included on the ARF on the metals analysis line since the method specifies ICP-MS by SW 6020 (this indicates that it is only for the other 22 metals. If mercury were to be requested, it would be on its own line with a different method (SW 7470). I did put a note in the instructions on the bottom that Hg is not required.

Please see attached and let me know how you would like the Division issue to be handled.

Thank you,

[Nonresponsive based on revised scope]

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Wednesday, September 23, 2020 10:35 AM
To: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
Cc: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
Subject: RE: Shiloh Church ARF for review

[Nonresponsive based on revised scope]

Following corrections are needed:

Division should be “Superfund Emergency Management Division)
This is NOT a new Site (Yes is currently checked)
No Hg analysis, I did not see this noted.

Please make corrections and return

Thank you
Chris

From: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
Sent: Tuesday, September 22, 2020 4:09 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope] [Nonresponsive based on revised scope]
Subject: RE: Shiloh Church ARF for review

Hi Chris,

I am checking in with you to see if the soil ARF I sent for your review on Friday was acceptable so that I may submit it.

I have also attached an ARF for your review for the aqueous samples to be collected.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Please let me know if both these ARFs are suitable for me to submit them.

Thank you,

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope

Sent: Friday, September 18, 2020 1:07 PM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Cc: Nonresponsive based on revised scope; Nonresponsive based on revised scope; Nonresponsive based on revised scope; Nonresponsive based on revised scope

Subject: Shiloh Church ARF for review

Good Afternoon Christine,

I have attached the ARF of Shiloh Church for your review. I have overestimated the number of samples to be sure we have enough for lab QC and field duplicate, but I can adjust that as you see fit. Please let me know if you would like me to make any edits before we can get this submitted.

Thank you,

Nonresponsive based on revised scope